

CNC SPARK EROSION MACHINE | SENKERODIERMASCHINE


ELETTROEROSIONE A TUFFO CNC

AGIE AGIETRON 250 C









TECHNICAL DATA

CAMBIO UTENSILI

TOOL CHANGE | WERKZEUGWECHSEL

24 POSITION

CONTROLLO SU 3 ASSI + ASSE C

CONTROL ON 3 AXES + AXIS C | KONTROLLE AUF 3 ACHSEN + ACHSE C

Dimensione tavola

Dimension table | Tischgröße

750 X 640 MM

Vasca di lavoro (misura interna)

Working tank (internal size) | Arbeitstank

1.070 x 740 x H. 420 mm

Misura max pezzo

Max size piece | maximale gröÙe stück

1.000 x 700 x H. 320 mm



Peso max pezzo

Max weight piece | Maximales Gewicht Stück 1.200 Kg.

Peso max elettrodo

Max weight electrode | Max. Gewicht Elektrode 400 Kg

Asse | Axis | Achse

X 700 mm

Y 550 mm

Z 500 mm

Velocità rapidi

Rapid speeds 720 mm/min

Dimensioni di ingombro

Overall dimension | Gesamtabmessungen 2.050 x 2.440 x H. 3.030 mm

Peso Totale

Total weight | Gesamtgewicht 5.045 Kg.