



CNC SPARK EROSION MACHINE | SENKERODIERMASCHINE

ELETTROEROSIONE A TUFFO CNC


AGIE AGIETRON 100













TECHNICAL DATA

CAMBIO UTENSILI

TOOL CHANGE | WERKZEUGWECHSEL 16 POSITIONS

CONTROLLO SU ASSI + ASSE C

CONTROL ON AXES + AXIS C | KONTROLLE AUF ACHSEN + ACHSE C

Dimensione tavola

Dimension table | Tischgröße 630 x 500 mm

Vasca di lavoro (misura interna)

Working tank (internal size) | Arbeitstank 800 x 515 x H 320 mm

Misura max pezzo

Max size piece | maximale grÖÙe stÜck 780 x 500 x H. 220 mm

Peso max pezzo

Max weight piece | Maximales Gewicht StÜck 600 Kg

Peso max elettrodo

Max weight electrode | Max. Gewicht Elektrode 200 Kg

Asse | Axis | Achse

X 350 mm

Y 250 mm

Z 350 mm

Velocità rapidi

Rapid speeds 720 mm/min

Dimensioni di ingombro

Overall dimension | Gesamtabmessungen 1650 x 2115 x 2680 mm

Peso Totale

Total weight | Gesamtgewicht 3.670 Kg.